


BAMBCOTouch® O U T D O O R

- Surface?
- Which product?
- Consumption/frequency?
- How to...





INSTRUCTIONS

Decking: BambooTouch Outdoor Solid

- Information
 - Only treat the wood in dry weather when the temperature is over 13°C
 - Avoid direct sunlight and/or high temperatures





Which products?

Cleaning: WOCA Exterior Wood Cleaner

(consumption: 10 − 50m²/ litres depending on

how much dirt there is)

Protection: WOCA Exterior Wood Oil

(consumption: $15 - 30m^2$ / litres)

Frequency: preferably every year or as required











How to...

Step 1 - Clean with Exterior Cleaner

- Mix the Exterior Cleaner with water using a ratio of 1:2 or 1:10 depending on how much dirt there is.
- Apply the cleaning product to damp wood in a uniform layer using the WOCA decking brush.
- Leave to work for five minutes.
- Rub the surface along the grain with the WOCA decking brush until clean. Repeat as required.
- Rinse the surface with plenty of water and leave the wood to dry for at least 24 hours.

Step 2 – Protect with WOCA Exterior Wood Oil (Natural, Teak or Walnut)

- Shake the oil thoroughly before applying.
- Apply a thin layer of oil with the WOCA Applicator along the grain. Start with the edges and ends of the boards.
- In liquid form, the oil has a cream colour. After a few minutes, when the water has evaporated, the wood looks oiled. If the wood has not been saturated, repeat the process.
- The surface can be polished with a beige or white polishing cloth or a buffing machine as soon as the wood is dry.

The oil will be completely dry after 24-48 hours, depending on the weather and temperature. Do not expose the wood to water during this drying time.

